










Trinity County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2003), Race/Ethnicity (2003), and Year



■ Female □ Male

— Female — Male

* Race data may be missing for a substantial number of cases. See the "Data Limitations" page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Health Services, STD Control Branch



Trinity County – Chlamydia, Gonorrhea, and Early Syphilis

Cases and Rates Tables for 2003

| Gender & Age Group | Chlamydia | | | Gonorrhea | | | P&S Syphilis | | | Early Latent Syphilis | | | Population ² | |
|---------------------|-----------|----------------------|--------------|-----------|----------------------|------------|--------------|----------------------|------------|-----------------------|----------------------|------------|-------------------------|----------------------|
| | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Number | Percent ¹ |
| COUNTY TOTAL | 13 | 100.0% | 95.9 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 13,579 | 100.0% |
| Female Total | 11 | 84.6% | 164.6 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 6,684 | 49.2% |
| Ages | | | | | | | | | | | | | | |
| 0 - 9 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 589 | 8.8% |
| 10 - 14 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 473 | 7.1% |
| 15 - 19 | 3 | 27.3% | 613.5 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 489 | 7.3% |
| 20 - 24 | 6 | 54.5% | 1,749.3 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 343 | 5.1% |
| 25 - 29 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 222 | 3.3% |
| 30 - 34 | 2 | 18.2% | 772.2 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 259 | 3.9% |
| 35 - 44 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 862 | 12.9% |
| 45+ | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 3,447 | 51.6% |
| Not Specified | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | - | - |
| Male Total | 2 | 15.4% | 29.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 6,895 | 50.8% |
| Ages | | | | | | | | | | | | | | |
| 0 - 9 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 607 | 8.8% |
| 10 - 14 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 482 | 7.0% |
| 15 - 19 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 564 | 8.2% |
| 20 - 24 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 431 | 6.3% |
| 25 - 29 | 1 | 50.0% | 386.1 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 259 | 3.8% |
| 30 - 34 | 1 | 50.0% | 357.1 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 280 | 4.1% |
| 35 - 44 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 770 | 11.2% |
| 45+ | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 3,502 | 50.8% |
| Not Specified | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | - | - |

| Gender & Race/Ethnicity | Chlamydia | | | Gonorrhea | | | P&S Syphilis | | | Early Latent Syphilis | | | Population ² | |
|-------------------------------|-----------|----------------------|--------------|-----------|----------------------|------------|--------------|----------------------|------------|-----------------------|----------------------|------------|-------------------------|----------------------|
| | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Cases | Percent ¹ | Rate | Number | Percent ¹ |
| COUNTY TOTAL | 13 | 100.0% | 95.9 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 13,579 | 100.0% |
| Female Total | 11 | 84.6% | 164.6 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 6,684 | 49.2% |
| American Indian/Alaska Native | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 324 | 4.8% |
| Asian/Pacific Islander | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 84 | 1.3% |
| Black/African-American | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 7 | 0.1% |
| Latino/Hispanic | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 332 | 5.0% |
| White | 7 | 100.0% | 123.4 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 5,672 | 84.9% |
| Other/Multi/Not Specified | 4 | 36.4% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 265 | 4.0% |
| Male Total | 2 | 15.4% | 29.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 6,895 | 50.8% |
| American Indian/Alaska Native | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 391 | 5.7% |
| Asian/Pacific Islander | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 53 | 0.8% |
| Black/African-American | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 56 | 0.8% |
| Latino/Hispanic | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 345 | 5.0% |
| White | 2 | 100.0% | 34.7 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 0 | 0.0% | 0.0 | 5,769 | 83.7% |
| Other/Multi/Not Specified | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 281 | 4.1% |

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimate from the Department of Finance.

(For Trinity County, the July 1, 2003 estimate is 13,550).

Note: Rates are per 100,000 population.

| P&S Syphilis Males Cases | 2001 | | 2002 | | 2003 | |
|-----------------------------|------|------|------|------|------|------|
| | # | % | # | % | # | % |
| Total Males Cases | 0 | | 0 | | 0 | |
| ► MSM Cases | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |
| ►► HIV Positives among MSM | 0 | 0.0% | 0 | 0.0% | 0 | 0.0% |